

To: Jones, Jim[Jones.Jim@epa.gov]; Wise, Louise[Wise.Louise@epa.gov]
From: Cleland-Hamnett, Wendy
Sent: Mon 1/13/2014 7:39:56 PM
Subject: FW: EDF blog post: West Virginia officials trust shaky science in rush to restore water service: One-part-per-million "safe" threshold has questionable basis

fyi

Wendy Cleland-Hamnett

Office Director

Office of Pollution Prevention & Toxics

Office of Chemical Safety and Pollution Prevention

202 564-3810 (O) 202 564-0575 (F)

cleland-hamnett.wendy@epa.gov

From: Flattery, Priscilla
Sent: Monday, January 13, 2014 2:34 PM
To: Cleland-Hamnett, Wendy; Morris, Jeff
Subject: FW: EDF blog post: West Virginia officials trust shaky science in rush to restore water service: One-part-per-million "safe" threshold has questionable basis

Priscilla Flattery

Chief of Staff, OPPT

202-564-2718

From: Richard Denison [<mailto:rdenison@edf.org>]

Sent: Monday, January 13, 2014 2:31 PM

To: rdenison@edf.org

Subject: EDF blog post: West Virginia officials trust shaky science in rush to restore water service: One-part-per-million "safe" threshold has questionable basis

Full post at <http://blogs.edf.org/health/>

West Virginia officials trust shaky science in rush to restore water service: One-part-per-million “safe” threshold has questionable basis

By [Richard Denison](#) | [Bio](#) | Published: January 13, 2014

Richard Denison, Ph.D., is a Senior Scientist.

In a press conference today outlining plans to restart the water system serving 300,000 people, West Virginia state official and executives from the West Virginia American Water utility company stressed that levels of the toxic chemical that contaminated the supply after last week's spill had reached a “safe” level of one part per million (1 ppm), the threshold agreed upon by state and federal officials on Saturday.

Unfortunately, the science behind this standard remains unclear. Based on what we *do* know, there are good reasons to believe that officials are overlooking significant health risks. [Read More »](#)

This e-mail and any attachments may contain confidential and privileged information. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this e-mail and destroy any copies. Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal.